GENERAL NOTES:

DESIGN CONTENT SHALL REMAIN THE INTELLECTUAL PROPERTY OF FORD MOTOR COMPANY. DESIGN INTENT SHALL BE EXECUTED PER DIRECTION OF FORD MOTOR COMPANY ENGINEERING. CHANGES IN MATERIALS, ASSEMBLY OR PROCESS MUST BE APPROVED PRIOR TO INITIAL PRODUCTION.

WHILE DRAWING MAY NOT REFLECT CURRENT ENGINEERING INTENT, SUPPLIER WILL BUILD ALL PARTS TO ALL NOTED ENGINEERING DIRECTION.DRAWING WILL BE UPDATED AS REQUIRED.

APPLICATION OF CONVOLUTE TUBING OR SIMILAR PROTECTIVE COVERINGS TO BE WRAPPED AND SECURED WITH APPROPRIATE TAPE WHERE REQUIRED. SUPPLIER RESERVES THE RIGHT TO CHOOSE CONVOLUTE ID BASED ON BUNDLE DIAMETER, WITHOUT ADVERSLY AFFECTING FIT, FUNCTION OR APPEARANCE.

ALL SPLICES TO BE COVERED WITH DUAL-WALL, ADHESIVE-LINED, HEAT-SHRINK TUBING.

BASE WIRE COLOR AND STRIPE SHALL BE APPLIED AS SHOWN ON DRAWING. SUPPLIER RESERVES THE RIGHT TO SUBSTITUTE OR ELIMINATE WIRE STRIPE WHILE MAINTAINING WIRE BASE COLOR.

THIS DRAWING HAS BEEN PREPARED BY OR ON BEHALF OF FORD MOTOR COMPANY AND RETAINS ALL COMMON LAW, STATUTORY AND OTHER RESERVED RIGHTS, INCLUDING COPYRIGHTS. THIS DRAWING SHALL NOT BE USED FOR ANY OTHER PURPOSE OTHER THAN PERFORMING SERVICES DIRECTLY OR INDIRECTLY TO FORD MOTOR COMPANY, WITHOUT THE EXPRESSED WRITTEN PERMISSION OF FORD MOTOR COMPANY. UNAUTHORIZED USE, COPYING OR MODIFICATION, INCLUDING THE REMOVAL OF THIS NOTE, MAY CONSTITUTE A VIOLATION OF CIVIL OR CRIMINAL LAWS, ENFORCABLE BY FORD OR GOVERNMENTAL AGENCIES.

REV A1

2013.05.01


FRAME 1 of 4

M-12639-FR500

DUNNE-RITE

NO. CM-12639-FR500 REVISIONS REV DATE DESIGNER CHECKED BY APPROVAL CAD REL CM-12639-FR500 **A1 INITIAL DRAFT** 2013.05.01 S. ALTHERR J. DUNNE YES

MODEL DESCRIP		IUSTAI	NG COBRA	JET		
	PART MUST COMPLY WITH MATERIAL SPECIFICATION WSS-M99P9999-A1 TO HELP SAFEGAURD HEALTH, SAFETY AND THE ENVIRONMENT.					
ENGINEERIN	ACCORDANCE WIT G DRAFTING STAN INITIAL RELEASE		ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE SPECIFIED			
CAD TYPE MS - VISIO	CAD LOCATION DRP	REFEREN	ICE DRAWING M-12639SCCS	-AAA (REV A2)	E COPY IS MASTER	
CM-12639-FR500						
DESIGNER	APPROVAL	TITLE				
S. ALTHERR		2014	MUSTANG F	RACE VEHICLE	=	
CHECKED BY	SAFETY	COBRA JET – LAUNCH CONTROL GRAND AM – PIT LANE SPEED LIMITER				
J. DUNNE	N/A					
SCALE	DATE	DIVISION	N/A	Fin	rd	
N/A	2013.05.01	PLANT	EWDMA	PERFORMAN	ING NCE PARTS	





DUNNE-RITE

C21 - SCCS Button (Female Terminals)



Cavity	Wire		Circuit Function	To Connector-Pin
1	LG	18	SCCS	S-1
2	PK	18	SCCS RETURN	S-4

C2274 – 4-way Inline to 14A005 (Male Terminals)



Cavity	Wire		Circuit Function	To Connector-Pin
2	LG	20	SCCS RETURN	S-1
3	WH	20	SCCS	S-7

C3 - (Female Spade Terminal)





Cavity	Wire		Circuit Function	To Connector-Pin
1	LG	20	SCCS RETURN	S-2

C4 – (Female Spade Terminal)





Cavity	Wire		Circuit Function	To Connector-Pin
	PK	20	SET (+)	S-5

C5 – (Female Spade Terminal)






Cavity	Wire		Circuit Function	To Connector-Pin
	WH	20	SET (-)	S-5









DUNNE-RITE